

**PROFESSIONAL**

DUCATO

Cabinato

**Basic Equipment**

Electric Windows
 ESC (Electronic Stability Control Contains: Hill Holder Assist, ABS, TCS, ERM, HDC)
 Manual Air Condition
 Central Locking-Deadlocks
 Driver's Airbag
 Front Cross Bar
 Driver's seat Armrest & Lumbar Support
 U-Connect 5" Radio with Bluetooth®/USB/AUX
 Two-seater passenger seat with 3-point seat belt for middle passenger
 Crepe Black fabric upholstery
 Normal size Spare Wheel with Tools
 Black frame for front headlights
 Cup holders
 Anchor points in load area (only for Truck Dropside)
 90 Liters Fuel Tank
 Heated Electric Door Mirrors with blind Spot
 Double Leaf Rear Suspension
 Trip Computer
 15" Steel Wheels (standard on 290 versions)
 16" Steel Wheels (standard on 295 versions)
 White Body Color

Optional Equipment

Cruise Control with Variable Speed Limiter €275
 Tablet Holder on Dashboard €100
 Additional price for color other than white €600
 U-Connect 7" DAB Radio with Bluetooth®/Apple Car Play /Android Auto /USB/AUX €1050
 Passengers Airbag (Double passenger seat) €360
 Folding Heated Electric Door Mirrors €230
 Front Fog lights with cornering option €280
 Aluminum Drop side €2900
 Steering Wheel Controls for Radio €245

Price**Euro6d-Final****Price list:**

Model Code	Type	GVW	WB (mm)	cc	bhp	kW	Max torque	CO ₂ WLTP	Consumption (L/100Km) WLTP	Price on the Road (€)
290.L7N.8	Truck Drop side	3500kg	3800	2187	140*	103	350	253 - 266	9,6 - 10,1	25,950
290.B7N.8	Truck Drop side	3500kg	4035	2187	140*	103	350	253 - 265	9,6 - 10,1	29,650
290.B9N.8	Crew Cab Truck Dropside	3500kg	4035	2187	140*	103	350	253 - 265	9,6 - 10,1	31,500
295.C7N.8	Maxi Truck Drop side	3500kg	4035XL	2187	140*	103	350	254 - 266	9,7 - 10,1	30,900
295.LCN.8	Chassis Cab	3500kg	3800	2187	140*	103	350	tbc	tbc	23,900
290.BCN.8	Chassis Cab	3500kg	4035	2187	140*	103	350	tbc	tbc	28,000
295.CCN.8	Maxi Chassis Cab	3500kg	4035XL	2187	140*	103	350	tbc	tbc	28,900


*Available 120hp - 160hp & 180hp engines

THE ABOVE PRICES INCLUDE 19% VAT, REGISTRATION FEES AND ROAD TAX UNTIL THE END OF THE YEAR
 PRICES AND EQUIPMENT ARE SUBJECT TO CHANGES WITHOUT WARNING. PRICES ARE VALID FROM September 2021



Island Telephone Line: 77777370
 Head Office Telephone: +357 22887000, Fax: +357 22346811
 Nicosia: 39, Kalamon Road, 2032 Strovaios, P.O.Box 29632, 1721 Nicosia
 Limassol: 15, Paphou Road, 3052 Omoroi/as
 Larnaca: 6-8 Acropoleas Road, 7104 Aradippou

Dimensions



Model Version	290.L7N.8	290.B7N.8	290.B9N.8	295.C7N.8	295.LCN.8	290.BCN.8	295.CCN.8
Engine power	140hp	140hp	140hp	140hp	140hp	140hp	140hp
Kerb weight (kg)	1970	1990	2135	2065	1765	1735	1790
Payload (kg)	1530	1510	1365	1435	n/a	n/a	n/a
GVW (kg)	3500	3500	3500	3500	3500	3500	3500
A - Wheelbase (mm)	3800	4035	4035	4035 XL	3800	4035	4035 XL
L - Maximum length (mm)	6093	6328	6228	6693	5708	5943	6308
Z - Maximum length with Outfit (mm)	-	-	-	-	7028	7383	7338
S - Maximum Chassis width (mm)	-	-	-	-	2350	2350	2350
Maximum width (mm)	2100	2100	2100	2100	2050	2050	2050
Front track (mm)	1810	1810	1810	1810	1810	1810	1810
Rear track (mm)	1790	1790	1790	1790	1790	1790	1790
Maximum height (unladen) (mm)	2424	2424	2424	2424	2254	2254	2254
Front overhang (mm)	948	948	948	948	948	948	948
R - Rear overhang (mm)	1345	1345	1245	1710	960	960	960
E - Flatbed interior length (mm)	3598	3833	2888	4198	-	-	-
Flatbed interior width (mm)	2034	2034	2034	2034	-	-	-
Side panel height (mm)	400	400	400	400	-	-	-
Load surface	7.3 m ²	7.8 m ²	5.9 m ²	8.5 m ²	-	-	-

Exterior Colours

SOLID

549
White



676
Expedition Grey



NEW

113
Artense Grey



METALLIC

632
Metallic Black



611
Aluminum
Grey



385
Lanzarote Grey

NEW



691
Iron Grey



Engine Range, Euro6d-final

ENGINES	120 MULTIJET ₃	140 MULTIJET ₃	160 MULTIJET ₃	180 MULTIJET ₃
No. of cylinders, layout	4, in line	4, in line	4, in line	4, in line
Displacement in cc (bore x stroke in mm)	2184 (83,8 x 99)	2184 (83,8 x 99)	2184 (83,8 x 99)	2184 (83,8 x 99)
Compression ratio	15.7:1	15.7:1	15.7:1	15.7:1
Max power output (EEC): kW (HP) / rpm	88 (120) / 3500	103 (140) / 3500	118 (160) / 3500	132 (180) / 3500
Max torque output (EEC): Nm / rpm (with AT9)	320 / 1400-2500	350 / 1400-2500	380 / 1500	380 / 1500-3000
Emission standard level	Euro 6d-final	Euro 6d-final / Euro VI-E	Euro 6d-final / Euro VI-E	Euro 6d-final / Euro VI-E
Timing system (control)	DOHC (toothed belt)	DOHC (toothed belt)	DOHC (toothed belt)	DOHC (toothed belt)
Supply	electronically controlled Common Rail MultiJet ₃ direct injection with variable geometry turbocharger and intercooler			
Gearbox, no. of gears	manual 6 + R	manual 6 + R*	manual 6 + R*	manual 6 + R*
Front Suspension configuration	independent, MacPherson type with wishbones, coil springs, telescopic shock absorbers and anti-roll bar			
Front Suspension configuration	rigid tubular axle with parabolic longitudinal leaf springs, telescopic shock absorbers and flexible side buffers			
Turning circle (kerb-to-kerb)	short wheelbase 11,1 m – medium wheelbase 12,5 m – medium-long wheelbase 13,6 m – long wheelbase 14,3 long wheelbase with extra overhang 15,3 mBraking system			
Fuel tank capacity (litres)	90 on all range except for Combi short wheelbase			
AdBlue fuel tank capacity (litres)	19			

Warranty

5 years or 150,000km Bumper to Bumper