

DLICATO

FIAT

PROFESSIONAL

Model Code	Range	m ³	WB (mm)	cc	bhp	kW	Maximum torque Nm / rpm	CO ₂ WLTP	Consumption (L/100Km) WLTP	Price on the Road (€)
290.0L2.9	L1H1	8	3000	2184	120	88	320 / 1400-2500	194 - 215	7.4 - 8.2	30,000
290.5L2.9	L2H1	10	3450	2184	120	88	320 / 1400-2500	198 - 216	7.6 - 8.3	31,750
290.5G2.9	L2H2	11.5	3450	2184	120	88	320 / 1400-2500	212 - 225	8.1 - 8.6	31,900
290.AG3.9	L2H2	11.5	3450	2184	140	103	350 / 1400-2500	189 - 227	7.2 - 8.7	34,250
290.BG3.9	L3H2	13	4035	2184	140	103	350 / 1400-2500	190 - 228	7.3 - 8.7	34,500
290.BA3.9	L3H3	15	4035	2184	140	103	350 / 1400-2500	198 - 239	7.6 - 9.1	36,450
295.CG3.9	L4H2	15	4035	2184	140	103	350 / 1400-2500	191 - 230	7.3 - 8.8	36,700
295.CG5.9	L4H2	15	4035	2184	180	132	380 / 1500-3000	192 - 232	7.3 - 7.8	38,150
295.CA3.9	L4H3	17	4035	2184	140	103	350 / 1400-2500	199 - 240	7.6 - 9.2	37,600
295.CA5.9	L4H3	17	4035	2184	180	132	380 / 1500-3000	200 - 243	7.6 - 9.3	39,000

Standard Equipment			Optional Equipment			Price
01P	Rear Pedestrian Warning Speaker		029	Rear Heated Windows, not available for 0L2 & 5L2, must have 519		€380
025	Air Condition		051	Dusk & Rain Sensors		€225
041	Electrically adjustable and heated exterior mirrors		055	2 nd Sliding Side Door (Driver side)		€595
064	Deadlock Safety locks (system to prevent burglary)		199	Glazed Partition		€210
0AA	ECO Kit Start&Stop - reduction of CO2 emissions		2PY	Uconnect® DAB car radio with 7-inch touchscreen and Bluetooth® system, phone mirroring (Apple CarPlay® and Android Auto®) + steering wheel control buttons for controlling the car radio		€400
0LQ	Double Leaf Rear Suspension					
0WV	Front Cross Beam					
132	Driver's seat with lumbar support + armrest					
149	Panelled Partition		2PZ	Uconnect® NAV DAB car radio with 10-inch HD touchscreen and Bluetooth® system, phone mirroring (Apple CarPlay® and Android Auto®) + command buttons on the steering wheel to control the car radio		€1200
213	Perimeter Anti-theft System with Antilift Function					
293	Two-seater Passenger Seats with 3-point seat belts					
2PX	Uconnect® DAB car radio with 5-inch touch screen and Bluetooth® system					
392	ESP + ASR + Hill Holder + LAC (Load Adaptive Control)		316	Rear Visibility Camera		€380
499	Fix & Go Puncture Repair Kit		361	Load Compartment Wall Protection – half Height		€170
4B0	Cupholders		519	Glazed Rear Doors, not available for 0L2 & 5L2		€170
4MZ	Crepe Black Fabric Seats		619	270° Opening Rear Doors		€315
500	Driver's Airbag		640	Driver's seat suspension		€435
508	Rear Parking Sensors		75Q	Tablet Holder		€75
516	Twin Panelled Headlamps opening 180°		786	Spare wheel tools (Jack), must have 980		€80
5EM	Head lamps with black frame		980	Steel Spare Wheel, must have 786		€180
5VE	Front safety bar "Crash Box"		GRG	Digital interior rear-view mirror with 8.9-inch display (Includes rear-view camera and auto-dimming mirror)		€780
692	Day Lights (DRL)					
734	Side attachment hooks loading Area		LPZ	Front fog lamps with Cornering Function		€160
738	90 litres Fuel Tank		RS3	USB port for charging devices		€60
NHR	Speed Limiter & Cruise Control		007	Automatic Gearbox AT9, available only with 180hp engines & not available for all versions (450Nm / 1500-1750 rpm)		€2500
XCP	Occupant Detection System					
D01	Passenger Side Sliding Door					
D02	Trip Computer					
D03	Electric Windows					
D04	Power Telescopic Steering Wheel					




DUCATO

FIAT

PROFESSIONAL

Dimensions

(in mm)	L1H1	L2H1	L2H2	L3H2	L3H3	L4H2	L4H3
Cubic Meters (m ³)	8m ³	10m ³	11.5m ³	13m ³	15m ³	15m ³	17m ³
Wheelbase	3000	3450	3450	4035	4035	4035	1035
Length	4963	5414	5414	5998	5998	6353	6353
Max. Width	2050	2050	2050	2050	2050	2050	2050
Front Track	1810	1810	1810	1810	1810	1810	1810
Rear Track	1790	1790	1790	1790	1790	1790	1790
Max. Height	2254	2254	2522	2524	2764	2539	2779
Front Overhang	948	948	948	948	948	948	948
Rear Overhang	1015	1015	1015	1015	1015	1380	1380



Loading Area

The loading space in the new Fiat Ducato is square and uniform so that the last piece can be used:


- It is between 2670 - 4070 mm long,
 - and up to 1662 - 2172 mm height.
 - The width between the wings of the rear wheels is 1422 mm, which means that a European pallet 1200 mm can be loaded easily and quickly.
 - The floor can be protected by an extremely durable plywood cover (optional).
 - Interior walls can be covered with heat-insulating plastic panel (optional)
 - To fasten and hold the load in place, 4 hooks are located on the sides of the load compartment, as well as several lashing points on the level compartment.
- At the divider between the cargo area and the passenger compartment there is a choice of fixed glass or glass with sliding surface. Also, in addition to the vehicle sizes and loading space mentioned above, **FIAT PROFESSIONAL** has another **7 sizes** of loading spaces ideal to meet.



DUCATO

FIAT

PROFESSIONAL



Load compartment Dimensions (in mm)	Wheel Base 3000mm	Wheel Base 3450mm	Wheel Base 3450mm	Wheel Base 4035mm	Wheel Base 4035mm	Wheel Base 4035mm
Load Volume (m³)	8	10	11,5	13	15	17
Gross Vehicle Weight (G.V.W) (kg)	>3500	>3500	>3500	>3500	>3500	>3500
A - load compartment height	1662	1662	1932	1932	1932	2172
B - width	1870	1870	1870	1870	1870	1870
C - length	2670	3120	3120	3705	4070	4070
D - width between wheel arches	1422	1422	1422	1422	1422	1422
E - load threshold height when unladen	535	535	550	535	550	550
Rear door width	1562	1562	1562	1562	1562	1562
Payload Capacity (kg)	1600	1600	1575	1525	1500	1450
Rear door height	1520	1520	1790	1790	1790	2030
Side door width	1075	1250	1250	1250	1250	1250
Side door height	1485	1755	1755	1755	1755	1755

Available up to 4,005Kg

Accessibility

The world of work has changed. Productivity, technology, reliability and robustness are essential elements. Equally important are adaptability, comfort and style. In the new Fiat Ducato, you can make the most of every last inch of space when loading your products. The side sliding doors are available in 2 widths, 1075 and 1250 mm, and 2 heights, 1485 and 1755 mm.

Also:

- Suitcase style handles are easy to use
- Second sliding side door is available on request

The load compartment is extremely easy to access through the rear doors:

- The rear doors are 1.5 m high for the low roof vehicle (H1), almost 1.80 m for the high roof vehicle (H2), and beyond 2 m super high roof vehicle (H3), real record heights
- Two loading door opening options, 180° and 270°, for easier movement around the vehicle when it is in a confined space.

Warranty

5 years / 150,000 klm (Bumper to Bumper)



LOAD SPACE VOLUME

Great range versatility and up to 17m³ of load space allow large-sized loads to be transported safely.



SQUARED CARGO AREA SHAPE

The perfect base for all Ducato versions, it allows you to arrange goods stored within more effectively, or make your conversion more easily adaptable.



LOW THRESHOLD

Simplifies carrying, preventing scuffs and scrapes from lifting items and makes every day loading/unloading easier.



Island Telephone Line: 77777370

Head Office Telephone: +357 22687000, Fax: +357 22346811

Nicosia: 39, Kalamon Road, 2032 Strovos, P.O.Box 29632, 1721 Nicosia

Limassol: 15, Paphou Road, 3052 Omonoias, +357 25821523 / 22

Larnaca: 6-8 Acropoleos Road, 7104 Aradippou, +357 24631333

DUICATO

FIAT

PROFESSIONAL

Exterior Colours



385 - Lanzarote Grey (+) €750



113 - Artense Grey (+) €750



676 - Expedition Grey (+) €750



691 - Iron Grey (+) €750



549 - White (Standard)



632 - Metallic Black (+) €750

Engine Range, Euro6d-final

ENGINES		120 MULTIJET ₃	140 MULTIJET ₃	180 MULTIJET ₃
	No. of cylinders, layout	4, in line	4, in line	4, in line
	Displacement in cc (bore x stroke in mm)	2184 (83,8 x 99)	2184 (83,8 x 99)	2184 (83,8 x 99)
	Compression ratio	15.7:1	15.7:1	15.7:1
	Max power output (EEC): kW (HP) / rpm	88 (120) / 3500	103 (140) / 3500	132 (180) / 3500
	Max torque output (EEC): Nm / rpm (with AT9)	320 / 1400-2500	350 / 1400-2500	380 / 1500-3000
	Emission standard level	Euro 6d-final		
	Timing system (control)	DOHC (toothed belt)		
	Supply	electronically controlled Common Rail MultiJet ₃ direct injection with variable geometry turbocharger and intercooler		
	Gearbox, no. of gears	manual 6 + R	manual 6 + R*	
	Front Suspension configuration	independent, MacPherson type with wishbones, coil springs, telescopic shock absorbers and anti-roll bar		
	Front Suspension configuration	rigid tubular axle with parabolic longitudinal leaf springs, telescopic shock absorbers and flexible side buffers		
	Turning circle (kerb-to-kerb)	short wheelbase 11,1 m – medium wheelbase 12,5 m – medium-long wheelbase 13,6 m – long wheelbase 14,3 long wheelbase with extra overhang 15,3 mBraking system		
	Fuel tank capacity (litres)	90 on all range except for Combi short wheelbase		
	AdBlue fuel tank capacity (litres)	19		

*Available also automatic, 9 + R with manual upshift / downshift functionality 3 drive modes available (normal / eco / power)

NOTE:

Information shown is correct at time of publication and is subject to change without notice.
Specifications and Prices are subject to change at any time without notice and do not bind the company in any way (March, 2023).
Some features and/or applications may be late availability. All the prices mentioned in the brochure include 19% VAT




DUCATO


FIAT

PROFESSIONAL


L1H1 - 8 m³




L1H2 - 9,5 m³




L2H1 - 10 m³




L2H2 - 11,5 m³




L3H2 - 13 m³



L3H3 - 15 m³



L4H2 - 15 m³



L4H3 - 17 m³

