

# SCUDO

# FIAT

PROFESSIONAL

| Model Code | Range | m <sup>3</sup> | Gear | WB (mm) | cc   | bhp | KW  | Max. torque | CO <sub>2</sub> WLTP | Consum. (L/100Km) WLTP | Price on the Road (€) |
|------------|-------|----------------|------|---------|------|-----|-----|-------------|----------------------|------------------------|-----------------------|
| 506.22R.1  | L2H1  | 5,3            | 6F   | 3275    | 1499 | 100 | 75  | 270         | 161 - 188            | 6,1 – 7,2              | <b>€28,500</b>        |
| 506.22S.1  | L2H1  | 5,3            | 6F   | 3275    | 1499 | 120 | 88  | 300         | 161 - 188            | 6,1 – 7,1              | <b>€29,500</b>        |
| 506.32R.1  | L3H1  | 6,1            | 6F   | 3275    | 1499 | 100 | 75  | 270         | 164 - 191            | 6,2 – 7,3              | <b>€28,900</b>        |
| 506.32T.1  | L3H1  | 6,1            | 6F   | 3275    | 1997 | 145 | 106 | 340         | 181 - 209            | 6,9 – 8,0              | <b>€31,500</b>        |

| Basic Equipment |   | Optional Equipment |  |
|-----------------|---|--------------------|--|
| 001             | Front electric windows with 'one-touch' operation   | 980                | Spare wheel, black steel rim, std tyre   |
| 002             | ESC with Hill Start Assist, ABS braking including EBA and EBSD  | 2QC                | Magic cargo passenger bench & driver seat with load through a bulkhead (Moduwork) <small>Incompatible with 450</small> |
| 003             | Automatic fuel cut-off & door unlocking in the event of accident  | 7ET                | Fixed, glazed & isolated bulkhead row <small>must have 519</small>   |
| 008             | Remote central locking - No Keyless   | 505                | Side airbags (driver & passenger)  |
| 025             | Manual air conditioning   | 519                | 2 glazed rear doors, wipers and defogger <small>must have 7ET</small>  |
| 046             | Trip odometer & speedometer   | 6JA                | Towing hook with ball, 13-pin connector  |
| 056             | Hill climb assist   | CKC                | Anti-slip wood floor with aluminium rods   |
| 149             | Fixed unglazed bulkhead   |                    |  |
| 1KG             | One driver and two passenger seats  |                    |  |
| 1M0             | 16-inch steel wheels with black centre cap-215/65 R16   |                    |  |
| 213             | Volumetric alarm system, deadlocking  |                    |  |
| 2U3             | 7" Colour touchscreen with DAB radio, Bluetooth® handsfree, USB, bi-tuner, Apple CarPlay™, Android Auto |                    |  |
| 365             | Tyre Pressure Monitoring System (TPMS)  |                    |  |
| 416             | Cruise Control and Speed Limiter  |                    |  |
| 450             | Comfort bench & driver seat   |                    |  |
| 465             | Opened Central and passenger-side Storage   |                    |  |
| 499             | Tyre Fix & Go kit   |                    |  |
| 4HB             | Predisposition for Towing   |                    |  |
| 4TU             | Semi-painted front bumper, rear grained   |                    |  |
| 4WE             | Audio Controls behind the steering wheel  |                    |  |
| 500             | Front passenger and driver airbags  |                    |  |
| 516             | Twin unglazed rear doors (opening to 180°)  |                    |  |
| 522             | Twin sliding side doors   |                    |  |
| 5KY             | Dark Grey Fabric Seats  |                    |  |
| GTR             | Electrically adjustable heated door mirrors   |                    |  |
| JAA             | White Instrument Panel  |                    |  |
| LM1             | Headlights with Day Running Lights in integrated bulbs  |                    |  |
| XH3             | Rear Parking Sensors  |                    |  |
| SCA             | Standard Steering wheel   |                    |  |
| Z1A             | Standard payload  |                    |  |
| Z6A             | Increased payload, available only for L3H1  |                    |  |




# SCUDO


# FIAT

PROFESSIONAL

|   | L2H1          | L3H1          |
|---|---------------|---------------|
| * with bulkhead opening for long loads (Moduwork) |               |               |
| <b>EXTERNAL DIMENSIONS [mm]</b>                   |               |               |
| Length  | 4959          | 5309          |
| Width (excluding mirrors)                         | 1920          | 1920          |
| Width (including mirrors)                         | 2204          | 2204          |
| Height  | 1881          | 1935          |
| Front / rear overhang                             | 881/803       | 881/1153      |
| Front / rear track                                | 1630/1618     | 1630/1618     |
| Wheelbase   | 3275          | 3275          |
| <b>LOAD COMPARTMENT DIMENSIONS [mm]</b>           |               |               |
| Length  | 2512 - 3674 * | 2862 - 4024 * |
| Maximum width                                     | 1628          | 1628          |
| Wheel arch width                                  | 1258          | 1258          |
| Height  | 1397          | 1397          |
| Load threshold height                             | 544           | 600           |
| Rear door: width / height                         | 1282 - 1220   | 1282 - 1220   |
| Side door: width / height                         | 935 - 1241    | 935 - 1241    |
| Volume (m <sup>3</sup> )                          | 5.3 - 5.8 *   | 6.1 - 6.6 *   |
| Nominal Payload (kg)                              | 1109          | 1109          |




## SCUDO - MODUWORK FUNCTION





# SCUDO

# FIAT

PROFESSIONAL

| Pastel Paint              |     |                            |   | L2H1 | L3H1 |
|---------------------------|-----|----------------------------|---|------|------|
| 549                       | 5DL | New Ice white, pastel      |  | S    | S    |
| Metallic Paints (Opt 210) |     |                            |   |      |      |
| 691                       | 6FW | Platinum Grey, metallic    |  | €750 | €750 |
| 113                       | 5DN | Artense Grey, metallic     |  | €750 | €750 |
| 632                       | 5DP | Perla Nera Black, metallic |  | €750 | €750 |



| SPECIFICATIONS              | 100 MULTIJET <sub>3</sub>  | 120 MULTIJET <sub>3</sub> | 145 MULTIJET <sub>3</sub>                             |
|-----------------------------|--|---------------------------|---|
| <b>ENGINE</b>               |  |                           |   |
| Cylinder (cm <sup>3</sup> ) | 1499   | 1499                      | 1997  |
| Max power (Hp at rpm)       | 100 / 3500   | 120 / 3500                | 145 / 3750  |
| Max power (kW at rpm)       | 75 / 3500  | 88 / 3500                 | 106 / 3750  |
| Max torque (Nm at rpm)      | 270 / 1750   | 300 / 1750                | 340 / 2000  |
| Anti-pollution legislation  | Euro 6D-Final  |                           |   |
| <b>TRANSMISSION</b>         |  |                           |   |
| Exchange                    | Dry single plate clutch with hydraulic release device Manual 6+R   |                           |   |
| Traction                    | Front  |                           |   |
| <b>CAPACITY</b>             |  |                           |   |
| Fuel tank (litres)          | 69   |                           |   |
| <b>BRAKES</b>               |  |                           |   |
| Front / Rear                | Self-ventilated discs 304 x 28 –<br>Discs 290 x 12   |                           | Self-ventilated discs<br>304 x 28 –<br>Discs 290 x 22 |
| <b>TIRES</b>                |  |                           |   |
| Front / rear                | 215/65 R16 C 106T  |                           |   |
| <b>SUSPENSIONS</b>          |  |                           |   |
| Front                       | Independent Pseudo McPherson-type wheels with triangle lower arms and anti-roll bar                                |                           |   |
| Rear                        | Independent wheels with oblique triangle spring with variable stiffness and shock absorbers controlled by the load |                           |   |

**NOTE:**

The information shown is correct at time of publication and is subject to change without notice.  
 Specifications and Prices are subject to change at any time without notice and do not bind the company in any way (February 28, 2023).  
 Some features and/or applications may be late availability. All the prices mentioned in the brochure include 19% VAT